



Open Science Grid

# Job Matching, Handling, and Other HTCondor Features

Monday, Lecture 3

Lauren Michael



# Questions so far?

# Goals for this Session

---

- Understand HTCondor mechanisms more deeply
- Automation, additional use cases and features

# How is HTC Optimized?

---

- System must track jobs, machines, policy, ...
- System must recover gracefully from failures
- Try to use all available resources, all the time
- Lots of variety in users, machines, networks, ...
- Sharing is hard (e.g. policy, security)



# HTCONDOR MATCHMAKING


# Roles in an HTCondor System

---


- **Users**
  - Define jobs, their requirements, and preferences
  - Submit and cancel jobs
  - Check on the status of jobs
- **Administrators**
  - Configure and control the HTCondor system
  - Implement policies
  - Check on the status of machines
- **HTCondor Software**
  - Track and manage machines
  - Track and run jobs
  - Match jobs to machines (enforcing all policies)

# Job Matching

- On a regular basis, the **central manager** reviews **Job** and **Machine** attributes, and pool policies, and matches jobs to **slots**.



# Single Computer





# Terminology: Matchmaking

---

*two-way process of finding a slot for a job*

- **Jobs have requirements and preferences**
  - e.g.: I need one CPU core, 100 GB of disk space, and 10 GB of memory
- **Machines have requirements and preferences**
  - E.g.: I run jobs only from users in the Comp. Sci. dept., and prefer to run ones that ask for a lot of memory
- *Important jobs may run first or replace less important ones*


# HTCondor Priorities

---

- **User priority**
  - Computed based on past usage
  - Determines user's "fair share" percentage of slots
  - Lower number means run sooner (0.5 is minimum)
- **Job priority**
  - Set per job by the user (owner)
  - Relative to that user's other jobs
  - Set in submit file or changed later with `condor_prio`
  - Higher number means run sooner
- **Preemption**
  - Low priority jobs stopped for high priority ones (stopped jobs go back into the regular queue)
  - Governed by fair-share algorithm and pool policy
  - Not enabled on all pools

# Class Ads

- HTCondor stores a list of information about **each job** and **each machine** of potential slots.
- This information is stored for each job and each machine as its “**Class Ad**”



- Class Ads have the format:  
AttributeName = value

can be a boolean (T/F),  
number, or string



# Job ClassAd

## Submit file

```
executable = compare_states
arguments = wi.dat us.dat wi.dat.out

should_transfer_files = YES
transfer_input_files = us.dat, wi.dat
when_to_transfer_output = ON_EXIT

log = job.log
output = job.out
error = job.err

request_cpus = 1
request_disk = 20MB
request_memory = 20MB

queue 1
```

+

Default HTCondor  
configuration

```
RequestCpus = 1
Err = "job.err"
WhenToTransferOutput = "ON_EXIT"
TargetType = "Machine"
Cmd =
"/home/alice/tests/htcondor_week/compare_states"
JobUniverse = 5
Iwd = "/home/alice/tests/htcondor_week"
NumJobStarts = 0
WantRemoteIO = true
OnExitRemove = true
TransferInput = "us.dat,wi.dat"
MyType = "Job"
Out = "job.out"
UserLog =
"/home/alice/tests/htcondor_week/job.log"
RequestMemory = 20
...
```

# Machine ClassAd




=

```
HasFileTransfer = true
DynamicSlot = true
TotalSlotDisk = 4300218.0
TargetType = "Job"
TotalSlotMemory = 2048
Mips = 17902
Memory = 2048
UtsnameSysname = "Linux"
MAX_PREEMPT = ( 3600 * ( 72 - 68 *
( WantGlidein =?= true ) ) )
Requirements = ( START ) && (
IsValidCheckpointPlatform ) && (
WithinResourceLimits )
OpSysMajorVer = 6
TotalMemory = 9889
HasGluster = true
OpSysName = "SL"
HasDockeR = true
...
```

+  
Default HTCondor  
configuration


# Job Matching

- On a regular basis, the central manager reviews **Job** and **Machine ClassAds** and matches jobs to **slots**.



# Job Execution

- (Then the submit and execute points communicate directly.)





# USING CLASSADS



# Class Ads for People

---

- Class Ads also provide lots of useful information about jobs and computers to HTCondor users and administrators



# Finding Job Attributes

- Use the “long” option for `condor_q`

`condor_q -l JobId`

```
$ condor_q -l 12008.0
WhenToTransferOutput = "ON_EXIT"
TargetType = "Machine"
Cmd = "/home/alice/tests/htcondor_week/compare_states"
JobUniverse = 5
Iwd = "/home/alice/tests/htcondor_week"
RequestDisk = 20480
NumJobStarts = 0
WantRemoteIO = true
OnExitRemove = true
TransferInput = "us.dat,wi.dat"
MyType = "Job"
UserLog = "/home/alice/tests/htcondor_week/job.log"
RequestMemory = 20
...
```

# Useful Job Attributes

---

- **UserLog**: location of job log
- **Iwd**: Initial Working Directory (i.e. submission directory) on submit node
- **MemoryUsage**: maximum memory the job has used
- **RemoteHost**: where the job is running
- **JobBatchName**: user-labeled job batches
- ...and more

# Displaying Job Attributes

- View only specific attributes (`-af` for 'autoformat')

```
condor_q [U/C/J] -af Attribute1 Attribute2 ...
```

```
$ condor_q -af ClusterId ProcId RemoteHost MemoryUsage
```

```
17315225 116 slot1_1@e092.chtc.wisc.edu 1709
17315225 118 slot1_2@e093.chtc.wisc.edu 1709
17315225 137 slot1_8@e125.chtc.wisc.edu 1709
17315225 139 slot1_7@e121.chtc.wisc.edu 1709
18050961 0 slot1_5@c025.chtc.wisc.edu 196
18050963 0 slot1_3@atlas10.chtc.wisc.edu 269
18050964 0 slot1_25@e348.chtc.wisc.edu 245
```

# condor\_q Reminder

---

- Default output is batched jobs
  - Batches can be grouped by the user with the **JobBatchName** attribute in a submit file:

```
JobBatchName = CoolJobs
```

- Otherwise HTCondor groups jobs, automatically, by same executable
- To see individual jobs, use:  
**condor\_q -nobatch**

# ClassAds for Machines & Slots

as `condor_q` is to jobs, `condor_status` is to computers (or “machines”)

```
$ condor_status
```

Name	OpSys	Arch	State	Activity	LoadAv	Mem	Actvty
slot1@c001.chtc.wisc.edu	LINUX	X86_64	Unclaimed	Idle	0.000	673	25+01
slot1_1@c001.chtc.wisc.edu	LINUX	X86_64	Claimed	Busy	1.000	2048	0+01
slot1_2@c001.chtc.wisc.edu	LINUX	X86_64	Claimed	Busy	1.000	2048	0+01
slot1_3@c001.chtc.wisc.edu	LINUX	X86_64	Claimed	Busy	1.000	2048	0+00
slot1_4@c001.chtc.wisc.edu	LINUX	X86_64	Claimed	Busy	1.000	2048	0+14
slot1_5@c001.chtc.wisc.edu	LINUX	X86_64	Claimed	Busy	1.000	1024	0+01
slot1@c002.chtc.wisc.edu	LINUX	X86_64	Unclaimed	Idle	1.000	2693	19+19
slot1_1@c002.chtc.wisc.edu	LINUX	X86_64	Claimed	Busy	1.000	2048	0+04
slot1_2@c002.chtc.wisc.edu	LINUX	X86_64	Claimed	Busy	1.000	2048	0+01
slot1_3@c002.chtc.wisc.edu	LINUX	X86_64	Claimed	Busy	0.990	2048	0+02

	Total	Owner	Claimed	Unclaimed	Matched	Preempting	Backfill	Drain
X86_64/LINUX	10962	0	10340	613	0	0	0	9
X86_64/WINDOWS	2	2	0	0	0	0	0	0
Total	10964	2	10340	613	0	0	0	9

# Machine Attributes

- Use same ClassAd options as **condor\_q**:

**condor\_status -l *Slot/Machine***

**condor\_status [Machine] -af *Attribute1 Attribute2 ...***

```
$ condor_status -l slot1_1@c001.chtc.wisc.edu
HasFileTransfer = true
COLLECTOR_HOST_STRING = "cm.chtc.wisc.edu"
TargetType = "Job"
TotalTimeClaimedBusy = 43334c001.chtc.wisc.edu
UtsnameNodename = ""
Mips = 17902
MAX_PREEMPT = ( 3600 * ( 72 - 68 * ( WantGlidein =?= true ) ) )
Requirements = ( START ) && ( IsValidCheckpointPlatform ) && (
WithinResourceLimits )
State = "Claimed"
OpSysMajorVer = 6
OpSysName = "SL"
```

# Machine Attributes

- To summarize, use the “-compact” option:

**condor\_status -compact**

```
$ condor_status -compact
Machine Platform Slots Cpus Gpus TotalGb FreCpu FreeGb CpuLoad ST
e007.chtc.wisc.edu x64/SL6 8 8 23.46 0 0.00 1.24 Cb
e008.chtc.wisc.edu x64/SL6 8 8 23.46 0 0.46 0.97 Cb
e009.chtc.wisc.edu x64/SL6 11 16 23.46 5 0.00 0.81 **
e010.chtc.wisc.edu x64/SL6 8 8 23.46 0 4.46 0.76 Cb
matlab-build-1.chtc.wisc.edu x64/SL6 1 12 23.45 11 13.45 0.00 **
matlab-build-5.chtc.wisc.edu x64/SL6 0 24 23.45 24 23.45 0.04 Ui
mem1.chtc.wisc.edu x64/SL6 24 80 1009.67 8 0.17 0.60 **

Total Owner Claimed Unclaimed Matched Preempting Backfill Drain
x64/SL6 10416 0 9984 427 0 0 0 5
x64/WinVista 2 2 0 0 0 0 0 0
Total 10418 2 9984 427 0 0 0 5
```





# AUTOMATION AND OTHER FEATURES

# Retries

- Problem: a small number of jobs fail with a known error code; if they run again, they complete successfully.
- Solution: If the job exits with an error code, leave it in the queue to run again. This is done via the automatic option `max_retries`.

```
max_retries = 5
```

# More automation

---

- Check out the Intro to HTCondor talk from HTCondor Week 2017 for more on:
  - self-checkpointing
  - automatic hold/release (e.g. if job running too long)
  - auto-increasing memory request (e.g. if memory usage varies a lot across jobs)

# “Live” Troubleshooting

- To log in to a job where it is running, use:

`condor_ssh_to_job JobId`

```
$ condor_ssh_to_job 128.0
Welcome to slot1_31@e395.chtc.wisc.edu!
Your condor job is running with pid(s) 3954839.
```

# Interactive Jobs

- An interactive job proceeds like a normal batch job, but opens a bash session into the job's execution directory instead of running an executable.

```
condor_submit -i submit_file
```

```
$ condor_submit -i interactive.submit  
Submitting job(s).  
1 job(s) submitted to cluster 18980881.  
Waiting for job to start...  
Welcome to slot1_9@e184.chtc.wisc.edu!
```

- Useful for testing and troubleshooting

# Job Universes

- HTCondor has different “universes” for running specialized job types


[HTCondor Manual: Choosing an HTCondor Universe](#)

- Vanilla (default)
  - good for most software

[HTCondor Manual: Vanilla Universe](#)

- Set in the submit

file using: `universe = vanilla`



# Other Universes

- Standard
  - Built for code (C, fortran) that can be statically compiled with `condor_compile`

[HTCondor Manual: Standard Universe](#)

- Java
  - Built-in Java support

[HTCondor Manual: Java Applications](#)



- Local
  - Run jobs on the submit node

[HTCondor Manual: Local Universe](#)




# Other Universes (cont.)

---

- Docker

- Run jobs inside a Docker container

[HTCondor Manual: Docker Universe Applications](#)



- VM

- Run jobs inside a virtual machine

[HTCondor Manual: Virtual Machine Applications](#)

- Scheduler

- Runs DAG workflows (next session)

[HTCondor Manual: Parallel Applications](#)



# Multi-CPU and GPU Computing

---

- Jobs that use multiple cores on a single computer can use the vanilla universe (parallel universe for multi-server MPI, where supported):

```
request_cpus = 16
```

- If there are computers with GPUs, request them with:

```
request_gpus = 1
```

# Want More HTCondor Features?

---

- See the “Introduction to Using HTCondor” talk from HTCondor Week 2017!!

<http://research.cs.wisc.edu/htcondor/HTCondorWeek2017/tuesday.html>



# YOUR TURN!

# Exercises!

---

- Ask questions!
- Lots of instructors around
- Coming up:
  - Now-2:45 Hands-on Exercises
  - 2:45 – 3:00 Lunch
  - 3:00 – 5:00 Automating Workflows